

L Number	Hits	Search Text	DB	Time stamp
-	3005	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 12:31
-	122	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4) and automatic\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 15:05
-	48	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4) and (automatic\$6 same transfer\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 13:28
-	25	((auto automatic\$7 ) near10 transfer\$6) same status same data) and router	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 09:21
-	2585	((sav\$4 stor\$4 collect\$6) near10 (information data)) and automatic\$7 and (((auto automatic\$7 ) near10 transfer\$6) same (information data)) and (network\$4 router) not (((auto automatic\$7 ) near10 transfer\$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 09:28
-	933	((sav\$4 stor\$4 collect\$6) near10 (information data)) same (((auto automatic\$7 ) near10 transfer\$6) same (information data)) and (network\$4 router) and automatic\$7 not (((auto automatic\$7 ) near10 transfer\$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 10:30
-	13	((collect\$6 near10 (information data)) same (automatic\$7 near10 transfer\$6) near10 (network\$4 router)) and automatic\$7 not (((auto automatic\$7 ) near10 transfer\$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 09:38
-	7	((collect\$6 near10 (information data)) same (automatic\$7 near10 transfer\$6) near10 (network\$4 router) ) and automatic\$7 and status not (((auto automatic\$7 ) near10 transfer\$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 10:28
-	607	((sav\$4 stor\$4) near6 (information data)) same (((auto automatic\$7 ) near5 transfer\$6) same (information data))) and (network\$4 router) and automatic\$7 not (((auto automatic\$7 ) near10 transfer\$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:05
-	9	((sav\$4 stor\$4 collect\$4) near10 (information data)) same (((auto automatic\$7 ) near10 transfer\$6) same (information data))) and (network\$4 router) and automatic\$7 and ((parallel near4 processor) same bus) not (((auto automatic\$7 ) near10 transfer\$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 11:16
-	2284	(bus same interfac\$4 same process\$4) and (processor near3 parallel)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 14:10
-	124	((bus same interfac\$4 same process\$4) and (processor near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (( transmi\$6 transfer\$6))) and (devic\$4 near3 (network\$4 router)) and (( transmi\$6 transfer\$6) near10 packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:11

-	2	((bus same interfac\$4 same process\$4) and (processor near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same ((transmi\$6 transfer\$6))) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and (tim\$4 near5 stamp\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:15
-	27	((bus same interfac\$4 same process\$4) and (processor near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (transmi\$6 transfer\$6) same status) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and (tim\$4 near10 (packet data))) and (receiv\$4 near5 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:35
-	4	((bus same interfac\$4 same process\$4) and (processor near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (transmi\$6 transfer\$6) same status) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and (tim\$4 near10 (packet data))) and (receiv\$4 near5 (data packet)) and ((ready readiness) near10 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 14:12
-	60	((bus same interfac\$4 same process\$4) and (process\$4 near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (transmi\$6 transfer\$6) same status) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and (tim\$4 near10 (packet data)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 14:12
-	13	((bus same interfac\$4 same process\$4) and (process\$4 near3 parallel)) and (((sav\$4 stor\$4 collect\$5) near6 (information data)) same (transmi\$6 transfer\$6) same status) and (devic\$4 near3 (network\$4 router)) and ((transmi\$6 transfer\$6) near10 packet) and (tim\$4 near10 (packet data))) and (receiv\$4 near5 (data packet)) and ((ready readiness) near10 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 16:00
-	80	(rout\$3 and (status near5 (data packet)) and (buffer\$4 register\$4) and poll\$4 and ((transmi\$7 transfer\$4) near6 (data packet)) and (receiv\$4 near6 (data packet)) and (flag\$4 field bit) and (bus\$4 near5 interfac\$4)) and ((port near10 (availab\$7)) near10 (transfer\$4 transmi\$6 receiv\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 15:07
-	11	((rout\$3 and (status near5 (data packet)) and (buffer\$4 register\$4) and poll\$4 and ((transmi\$7 transfer\$4) near6 (data packet)) and (receiv\$4 near6 (data packet)) and (flag\$4 field bit) and (bus\$4 near5 interfac\$4)) and ((port near10 (availab\$7)) near10 (transfer\$4 transmi\$6 receiv\$4))) and ((register\$4 near5 (transfer\$4 transmi\$6 receiv\$4)) near10 interfac\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 15:15

-	7	((rout\$3 and (status near5 (data packet)) and (buffer\$4 register\$4) and poll\$4 and ((transmi\$7 transfer\$4) near6 (data packet)) and (receiv\$4 near6 (data packet)) and (flag\$4 field bit) and (bus\$4 near5 interfac\$4)) and ((port near10 (availab\$7)) near10 (transfer\$4 transmi\$6 receiv\$4))) and ((register\$4 near5 (transfer\$4 transmi\$6 receiv\$4)) near10 interfac\$4) and protect\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 15:17
-	88	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4) and (interfac\$4 near10 connect\$6) and (transfer\$5 same stat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 10:07
-	164	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 08:58
-	13	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and (stat\$4 near7 register\$4) and (automatic\$6 same transfer\$6) and (collect\$6 near10 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:09
-	3	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and router and interfac\$4 and (stat\$4 near7 register\$4) and (automatic\$6 same transfer\$6) and (collect\$6 near10 data) and (parallel adj5 process\$4) and (receiv\$4 near10 (data packet)) and (tim\$4 near10 stamp\$4) and (stale\$4 inactiv\$6 )	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:10
-	23	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and (bus same interfac\$4 same process\$4) and (processor near3 parallel)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:10
-	156	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and (((collect\$4 sav\$4 stor\$4) near10 (data status packet) ready readiness acknowledged\$5) and ((transmi\$6 transfer\$4) near10 (packet\$4 data )) (unsolicit\$4 solicit\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:11
-	84	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and ((buffer register memor\$4) same (spac\$4 room allocat\$5) same receiv\$4) and ((flag\$4 bit field) same (packet data information) same receiv\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:20
-	9	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and ((poll\$4 near5 (devic\$4 router switch\$4)) and (second near4 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:20
-	85	(rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4)) and ((buffer register memor\$4) same allocat\$5) and ((flag\$4 bit field) same (packet data information) same receiv\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:20
-	380	((flag\$4 feild) near3 receiv\$4 same (free open space allocat\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 08:49

-	50	((flag\$4 feild) near3 (free open space allocat\$6) near4 (sav\$4 buffer memor\$4 stor\$) same receiv\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 08:54
-	160	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4) and port\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:03
-	61	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4) and (port\$4 near10 availab\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:08
-	35	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and poll\$4 and (process\$4 adj6 engin\$4) and (port near10 availab\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:23
-	6	rout\$3 and (flag\$4 field bit) and packet and (buffer\$4 register\$4) and (process\$4 adj6 engin\$4) and ((port same availab\$7) same poll\$4 ) and (second near10 bus)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:40
-	52	((flag\$4 field bit) same port) and packet and (buffer\$4 register\$4) and ((port same availab\$7) same poll\$4 ) and (second near10 bus) not (((flag\$4 field bit) same port) and packet and (buffer\$4 register\$4) and (process\$4 adj6 engin\$4) and ((port same availab\$7) same poll\$4 ) and (second near10 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:49
-	13	((flag\$4 field bit) near6 port) and packet and ((buffer\$4 register\$4) near10 (writ\$5 stor\$4 sav\$4) same receiv\$4) and ((port near7 availab\$7) near10 poll\$4 ) and (second near10 bus) not (((flag\$4 field bit) same port) and packet and (buffer\$4 register\$4) and (process\$4 adj6 engin\$4) and ((port same availab\$7) same poll\$4 ) and (second near10 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:25